



Total Solution Of Hygienic Materials

TUBES, FITTING, UNIONS



(SZSE:300260)

KingLai Hygienic Materials Co., Ltd.

Kunshan Economic & Technical Development Zone ,

East Industrial Zone , Jiangsu Province P.R. China

No. 22 Lufeng West Road , 215331

TEL : +86-512-5787 1991 FAX : +86-512-5787 1472

<http://www.king-lai.com> Email : sales@kinglai.com.cn

Distributors : America,Mexico,Netherlands,Belgium,Saudi,
Thailand, Indonesia,India,Russia-Moscow





Customer Success Is Our Success.

Kunshan Kinglai Hygienic Materials Co., Ltd. (KL) founded in 2000, and gone public on 6th September 2011. KL expertise in hygienic materials research and manufacture, including vacuum vessel, pump, valve, flange, pressure vessel, tubing and fittings, etc. 68 series product covers 100,000 types comply with UHP & UHV. KL sanitary division serves customers in various industries, from daily articles of dairy, food, and beverage, to laboratory studies of chemical, pharmaceutical, and bio-tech. KL products are manufactured to meet different regional standards and custom-built products are available upon request. "CUSTOMER SUCCESS IS OUR SUCCESS" is the service tenet that we adhere to all the time.

KL is a professional hygienic material manufacturer with high-tech in several fields, like new material, precision machining, surface treatment, clean room, ultra vacuum etc. KL is one of the few manufacturers which carry a complete technical system, and also is a leading company worldwide.

KL had been certified by ASME BPE in 2013 for both tubing and fitting (*manufacturer), which is the NO.1 in Asia. Also, KL product comply with 3A, DIN, ISO, EHEDG etc.

We feature quick delivery, best quality, competitive pricing and excellent service for KL product.



THERE IS NO END OF STARTING

KingLai group for many years to fully meet customer demand as own duty, set a good brand image. Excellent management team and a good space to grow up and become a world-class high clean application materials suppliers, in the global food industry, pharmaceutical, biochemical, pharmaceutical industry and electronic clean areas have stable high-end customers, become the new the sustained and rapid growth of the company.

2014 EHEDG Certified

2013 ASME BPE Certified

Certified tubing and fitting manufacturer by ASME BPE Org.

2012/2013 KingLai Group

Joint Venture with abc on pressure vessel

Investment on ITO equipment production

2011 Listed Stock (SZSE: 300260)

Certified by GB, ASME(pressure vessel)

Certified by 3A(diaphragm valve, Filter, Changeover valve, tube)

Expansion the 3rd phase(Hefeng factory)

2009 Polaris Factory

3A Certified

ISO9001-2008, PED Certified

2008 Certified of pressure piping

Certified by ISO, BSI

2007 Established Polaris Stainless Steel Technology Co., Ltd.

2006Expansion the 3rd phase(KingLai factory)

Certified by 3A(C pumps, Ball valve, Check valve)


2004 Certified by ISO 9001-2000

2000 Built the domestic factory (KingLai factory)

1991 Founded in Taiwan


Stainless Steel Hygienic Tubes

No.	Nominal Size,in.	L mm	T in.	T mm
A138001-000050	1/2"	6000.0	0.065	1.60
A138001-000075	3/4"	6000.0	0.065	1.60
A138001-000100	1.0"	6000.0	0.065	1.60
A138001-000150	1.5"	6000.0	0.065	1.60
A138001-000200	2.0"	6000.0	0.065	1.60
A138001-000250	2.5"	6000.0	0.065	1.60
A138001-000300	3.0"	6000.0	0.065	1.60
A138001-000400	4.0"	6000.0	0.065	1.60
A138001-000500	5.0"	6000.0	0.078	2.00
A138001-000600	6.0"	6000.0	0.078	2.00




Seal Ring

No.	Size	B
1315001-000100	1.0"	33.3
1315001-000150	1.5"	46.0
1315001-000200	2.0"	58.7
1315001-000250	2.5"	71.4
1315001-000300	3.0"	84.1
1315001-000400	4.0"	109.5




Seal Ring

No.	Size	E	F
1315002-000100	1.0"	22.2	32.5
1315002-000150	1.5"	34.9	46.0
1315002-000200	2.0"	47.6	59.5
1315002-000250	2.5"	60.3	73.0
1315002-000300	3.0"	73.0	86.5
1315002-000400	4.0"	97.5	119.0




A0069 CIP SEAL

No.	Size	E	F
1315003-000100	1.0"	22.2	39.8
1315003-000150	1.5"	34.9	52.5
1315003-000200	2.0"	47.6	65.2
1315003-000250	2.5"	60.3	77.9
1315003-000300	3.0"	72.9	90.6
1315003-000400	4.0"	98.4	116.0
1315003-000500	5.0"	123.8	141.4
1315003-000600	6.0"	149.2	166.8




13TH-R TUBE Hanger

No.	Size	A	H
1324006-000100	1.0"	25.4	90.0
1324006-000100	1.25"	31.8	90.0
1324006-000150	1.5"	38.1	90.0
1324006-000200	2.0"	50.8	90.0
1324006-000250	2.5"	63.5	90.0
1324006-000300	3.0"	76.2	90.0
1324006-000400	4.0"	101.6	90.0




RJT EXP ANDING MALE

No.	Size	A	B	C	L
1309008-000100	1.0"	32.5	26.5	45.72 8 TPI WHIT	20.0
1309008-000150	1.5"	45.2	39.2	58.42 8 TPI WHIT	24.0
1309008-000200	2.0"	58.0	51.9	72.72 6 TPI WHIT	28.0
1309008-000250	2.5"	70.6	64.6	85.42 6 TPI WHIT	32.0
1309008-000300	3.0"	83.3	77.3	98.12 6 TPI WHIT	32.0
1309008-000400	4.0"	109.0	102.7	123.52 6 TPI WHIT	32.0




A0069 CIP MALE

No.	Size	A	B	C	L
1309009-000100	1.0"	25.4	22.2	45.72 8 TPI WHIT	22.0
1309009-000150	1.5"	38.1	34.9	58.42 8 TPI WHIT	22.0
1309009-000200	2.0"	50.8	47.6	72.72 6 TPI WHIT	22.0
1309009-000250	2.5"	63.5	60.3	85.42 6 TPI WHIT	22.0
1309009-000300	3.0"	76.1	73.0	98.12 6 TPI WHIT	22.0
1309009-000400	4.0"	101.6	98.4	123.52 6 TPI WHIT	22.0




RJT EXP MALE

No.	Size	A	E	F	L
1309010-000100	1.0"	25.7	22.2	47.1-1/8	27.0
1309010-000150	1.5"	38.4	34.9	58.4-1/8	27.0
1309010-000200	2.0"	51.1	47.6	72.7-1/6	27.0
1309010-000250	2.5"	63.8	60.3	85.2-1/6	27.0
1309010-000300	3.0"	76.5	73.0	98.1-1/6	27.0
1309010-000400	4.0"	101.9	97.6	123.5-1/6	27.0




IDF LINER

No.	Size	A	E	F	L
1310001-000100	1.0"	25.7	22.2	33.8	21.5
1310001-000150	1.5"	38.4	34.9	47.0	21.5
1310001-000200	2.0"	51.1	47.6	60.5	21.5
1310001-000250	2.5"	63.8	60.3	74.0	21.5
1310001-000300	3.0"	76.5	73.0	87.5	21.5
1310001-000400	4.0"	101.9	97.6	120.6	30.0




Liners Welding

No.	Size	A	E	F	L
1310002-000100	1.0"	25.7	22.2	41.3	12.0
1310002-000150	1.5"	38.4	34.9	54.0	12.0
1310002-000200	2.0"	51.1	47.6	66.7	12.0
1310002-000250	2.5"	63.8	60.3	79.4	12.0
1310002-000300	3.0"	76.5	73.0	92.1	12.0
1310002-000400	4.0"	101.9	97.6	117.5	12.0




RJT EXP.Liner

No.	Size	A	B	F	L
1310004-000100	1.0"	32.5	25.5	41.2	20.0
1310004-000150	1.5"	45.2	38.2	53.9	24.0
1310004-000200	2.0"	58.0	50.9	66.7	28.0
1310004-000250	2.5"	70.6	63.6	79.4	32.0
1310004-000300	3.0"	83.3	76.3	92.0	32.0
1310004-000400	4.0"	109.0	101.7	117.0	32.0




A0096 RJT EXP LINER

No.	Size	A	E	F	L
1310009-000100	1.0"	32.5	25.5	41.2	20.0
1310009-000150	1.5"	45.2	38.2	53.9	24.0
1310009-000200	2.0"	58.0	50.9	66.7	28.0
1310009-000250	2.5"	70.6	63.6	79.4	32.0
1310009-000300	3.0"	83.3	76.3	92.0	32.0
1310009-000400	4.0"	109.0	101.7	117.0	32.0




Nuts Round Thread

No.	Size	E	F	L
1308001-000100	1.0"	30.5	46.0	30.0
1308001-000150	1.5"	43.5	60.0	30.0
1308001-000200	2.0"	57.0	75.0	30.0
1308001-000250	2.5"	70.7	90.0	30.0
1308001-000300	3.0"	83.3	105.0	30.0
1308001-000400	4.0"	112.0	133.0	34.9




Nuts Round Thread

No.	Size	E	F	L
1308002-000100	1.0"	33.3	49.8	22.2
1308002-000150	1.5"	46.0	64.0	22.2
1308002-000200	2.0"	58.7	78.4	22.2
1308002-000250	2.5"	71.4	91.1	22.2
1308002-000300	3.0"	84.1	103.8	22.2
1308002-000400	4.0"	109.7	129.2	22.2




IDF Round Nut

No.	Size	A	B	C	L
1308004-000100	1.0"	34.34-8TPI	30.5	48.0	30.0
1308004-000150	1.5"	47.86-8TPI	43.5	64.0	30.0
1308004-000200	2.0"	61.37-8TPI	57.0	77.0	30.0
1308004-000250	2.5"	74.88-8TPI	70.7	91.0	30.0
1308004-000300	3.0"	88.40-8TPI	83.3	106.0	30.0




Blank Hex Nut

No.	Size	A	D	L
1308006-000100	1.0"	50.8	42.27-1/8	40.0
1308006-000150	1.5"	65.0	54.97-1/8	40.0
1308006-000200	2.0"	79.4	67.92-1/6	40.0
1308006-000250	2.5"	92.1	80.62-1/6	40.0
1308006-000300	3.0"	104.8	93.32-1/6	40.0
1308006-000400	4.0"	130.2	118.70-1/6	40.0




Nuts Round Thread

No.	Size	E	F	L
1308007-000100	1.0"	33.3	58.5	22.2
1308007-000150	1.5"	46.0	74.0	22.2
1308007-000200	2.0"	58.7	85.5	22.2
1308007-000250	2.5"	71.4	98.5	22.2
1308007-000300	3.0"	84.1	111.6	22.2
1308007-000400	4.0"	109.7	138.0	22.2




Blank Nuts with chain

No.	Size	F
1308008-000100	1.0"	50.8
1308008-000150	1.5"	65.0
1308008-000200	2.0"	79.4
1308008-000250	2.5"	92.1
1308008-000300	3.0"	104.8
1308008-000400	4.0"	130.2




Automatic Tube Weld: Straight Tee

No.	Size	AxT	B	L	H
1303101-000050	1/2"	12.7x1.6	45.0	90.0	51.4
1303101-000075	3/4"	19.1x1.6	60.0	120.0	69.6
1303101-000100	1.0"	25.4x1.6	65.0	130.0	77.7
1303101-000150	1.5"	38.1x1.6	85.0	170.0	104.1
1303101-000200	2.0"	50.8x1.6	110.0	220.0	135.4
1303101-000250	2.5"	63.5x1.6	135.0	270.0	166.8
1303101-000300	3.0"	76.2x1.6	155.0	310.0	193.1
1303101-000400	4.0"	101.6x2.0	195.0	390.0	245.8




Automatic Tube Weld: Short outlet Tee

No.	Size	AxT	B	L	H
1303000-000100	1.0"	25.4x1.6	43.5	87.0	26.9
1303000-000150	1.5"	38.1x1.6	63.5	127.0	40.6
1303000-000200	2.0"	50.8x1.6	88.5	177.0	54.5
1303000-000250	2.5"	63.5x1.6	113.5	227.0	67.0
1303000-000300	3.0"	76.2x1.6	133.5	267.0	79.5
1303000-000400	4.0"	101.6x2.0	173.5	347.0	105.5




Automatic Tube Weld: Reducing Tee

No.	Size	OD 1	T1	OD 2	T1	B	L	H
1303100-075050	0.75"x0.5"	19.1	1.6	12.7	1.6	60	120	48
1303100-100050	1.0"x0.5"	25.4	1.6	12.7	1.6	65	130	51
1303100-100075	1.0"x0.75"	25.4	1.6	19.1	1.6	65	130	63
1303100-150050	1.5"x0.5"	38.1	1.6	12.7	1.6	85	170	58
1303100-150075	1.5"x0.75"	38.1	1.6	19.1	1.6	85	170	70
1303100-150100	1.5"x1.0"	38.1	1.6	25.4	1.6	85	170	71
1303100-200050	2.0"x0.5"	50.8	1.6	12.7	1.6	110	220	64
1303100-200075	2.0"x0.75"	50.8	1.6	19.1	1.6	110	220	76
1303100-200100	2.0"x1.0"	50.8	1.6	25.4	1.6	110	220	78
1303100-200150	2.0"x1.5"	50.8	1.6	38.1	1.6	110	220	91
1303100-250050	2.5"x0.5"	63.5	1.6	12.7	1.6	135	270	70
1303100-250075	2.5"x0.75"	63.5	1.6	19.1	1.6	135	270	82
1303100-250100	2.5"x1.0"	63.5	1.6	25.4	1.6	135	270	84
1303100-250150	2.5"x1.5"	63.5	1.6	38.1	1.6	135	270	98
1303100-250200	2.5"x2.0"	63.5	1.6	50.8	1.6	135	270	116
1306100-300050	3.0"x0.5"	76.2	1.6	12.7	1.6	135	310	77
1303100-300075	3.0"x0.75"	76.2	1.6	19.1	1.6	155	310	89
1303100-300100	3.0"x1.0"	76.2	1.6	25.4	1.6	155	310	90
1303100-300150	3.0"x1.5"	76.2	1.6	38.1	1.6	155	310	104
1303100-300200	3.0"x2.0"	76.2	1.6	50.8	1.6	155	310	123
1303100-300250	3.0"x2.5"	76.2	1.6	63.5	1.6	155	310	141
1303100-400050	4.0"x0.5"	101.6	2.0	12.7	1.6	195	390	89
1303100-400075	4.0"x0.75"	101.6	2.0	19.1	1.6	195	390	101
1303100-400100	4.0"x1.0"	101.6	2.0	25.4	1.6	195	390	103
1303100-400150	4.0"x1.5"	101.6	2.0	38.1	1.6	195	390	117
1303100-400200	4.0"x2.0"	101.6	2.0	50.8	1.6	195	390	135
1303100-400250	4.0"x2.5"	101.6	2.0	63.5	1.6	195	390	154
1303100-400300	4.0"x3.0"	101.6	2.0	76.2	1.6	195	390	168




Automatic Tube Weld: Short outlet Reducing Tee

No.	Size	OD 1	OD 2	T	C	L	H
1303000-075050	0.75"x0.5"	19.1	12.7	1.6	44.5	89	20.5
1303000-100050	1.0"x0.5"	25.4	12.7	1.6	43.5	87	26.9
1303000-100075	1.0"x0.75"	25.4	19.1	1.6	43.5	87	26.9
1303000-150050	1.5"x0.5"	38.1	12.7	1.6	63.5	127	41.05
1303000-150075	1.5"x0.75"	38.1	19.1	1.6	63.5	127	41.05
1303000-150100	1.5"x1.0"	38.1	25.4	1.6	63.5	127	41.05
1303000-200050	2.0"x0.5"	50.8	12.7	1.6	88.5	177	54.4
1303000-200075	2.0"x0.75"	50.8	19.1	1.6	88.5	177	54.4
1303000-200100	2.0"x1.0"	50.8	25.4	1.6	88.5	177	54.4
1303000-200150	2.0"x1.5"	50.8	38.1	1.6	88.5	177	54.4
1303000-250100	2.5"x1.0"	63.5	25.4	1.6	113.5	227	66.75
1303000-250150	2.5"x1.5"	63.5	38.1	1.6	113.5	227	66.75
1303000-250200	2.5"x2.0"	63.5	50.8	1.6	113.5	227	66.75
1303000-300050	3.0"x0.5"	76.2	12.7	1.6	133.5	267	79.1
1303000-300075	3.0"x0.75"	76.2	19.1	1.6	133.5	267	79.1
1303000-300100	3.0"x1.0"	76.2	25.4	1.6	133.5	267	79.1
1303000-300150	3.0"x1.5"	76.2	38.1	1.6	133.5	267	79.1
1303000-300200	3.0"x2.0"	76.2	50.8	1.6	133.5	267	79.1
1303000-300250	3.0"x2.5"	76.2	63.5	1.6	133.5	267	79.1
1303000-400100	4.0"x1.0"	101.6	25.4	2.0	173.5	347	105.8
1303000-400150	4.0"x1.5"	101.6	38.1	2.0	173.5	347	105.8
1303000-400200	4.0"x2.0"	101.6	50.8	2.0	173.5	347	105.8
1303000-400250	4.0"x2.5"	101.6	63.5	2.0	173.5	347	105.8
1303000-400300	4.0"x3.0"	101.6	76.2	2.0	173.5	347	105.8




Automatic Tube Weld: 90-deg Elbow

No.	Size	AxT	B	R
1306001-000050	1/2"	12.7x1.6	7.95	19.1
1306001-000075	3/4"	19.1x1.6	11.91	28.6
1306001-000100	1.0"	25.4x1.6	15.77	38.1
1306001-000150	1.5"	38.1x1.6	23.67	57.2
1306001-000200	2.0"	50.8x1.6	31.57	76.2
1306001-000250	2.5"	63.5x1.6	39.70	95.3
1306001-000300	3.0"	76.2x1.6	47.35	114.3
1306001-000400	4.0"	101.6x2.0	63. 12	152.4




Automatic Tube Weld: 45-deg Elbow

No.	Size	AxT	B	R
1306103-000075	3/4"	19.1x1.6	19.40	28.60
1306103-000100	1.0"	25.4x1.6	30.18	38.10
1306103-000150	1.5"	38.1x1.6	41.28	57.15
1306103-000200	2.0"	50.8x1.6	58.72	76.20
1306103-000250	2.5"	63.5x1.6	76.20	95.25
1306103-000300	3.0"	76.2x1.6	93.70	114.30
1306103-000400	4.0"	101.6x2.0	122.20	152.40




Automatic Tube Weld: 90-deg Elbow

No.	Size	AxT	B	R
1306100-000100	1.0"	25.4x1.6	44.0	38.1
1306100-000150	1.5"	38.1x1.6	64.0	57.2
1306100-000200	2.0"	50.8x1.6	89.0	76.2
1306100-000250	2.5"	63.5x1.6	114.0	95.3
1306100-000300	3.0"	76.2x1.6	134.0	114.3
1306100-000400	4.0"	101.6x2.0	174.0	152.4




Automatic Tube Weld: 90-deg Elbow

No.	Size	AxT	B	R
1306101-000050	1/2"	12.7x1.6	45.0	19.1
1306101-000075	3/4"	19.1x1.6	60.0	28.6
1306101-000100	1.0"	25.4x1.6	65.0	38.1
1306101-000150	1.5"	38.1x1.6	85.0	57.2
1306101-000200	2.0"	50.8x1.6	110.0	76.2
1306101-000250	2.5"	63.5x1.6	135.0	95.3
1306101-000300	3.0"	76.2x1.6	155.0	114.3
1306101-000400	4.0"	101.6x2.0	195.0	152.4




Automatic Tube Weld: 90-deg Elbow

No.	Size	AxT	B	R
1306102-000100	1.0"	25.4x1.6	65.0	38.1
1306102-000150	1.5"	38.1x1.6	85.0	57.2
1306102-000200	2.0"	50.8x1.6	110.0	76.2
1306102-000250	2.5"	63.5x1.6	135.0	95.3
1306102-000300	3.0"	76.2x1.6	155.0	114.2
1306102-000400	4.0"	101.6x2.0	195.0	152.5



Automatic Tube Weld: Concentric reducer

No.	Size	AxT1	DxT2	L
1305000-075050	0.75"x0.5"	19.1x1.6	12.7x1.6	20.0
1305000-100050	1.0"x0.5"	25.4x1.6	12.7x1.6	25.0
1305000-100075	1.0"x0.75"	25.4x1.6	19.1x1.6	16.0
1305000-150100	1.5"x1.0"	38.1x1.6	25.4x1.6	29.0
1305000-200100	2.0"x1.0"	50.8x1.6	25.4x1.6	53.0
1305000-200150	2.0"x1.5"	50.8x1.6	38.1x1.6	41.0
1305000-050025	2.5"x1.0"	63.5x1.6	25.4x1.6	82.0
1305000-250150	2.5"x1.5"	63.5x1.6	38.1x1.6	64.0
1305000-250200	2.5"x2.0"	63.5x1.6	50.4x1.6	40.0
1305000-300100	3.0"x1.0"	76.2x1.6	25.4x1.6	108.0
1305000-300150	3.0"x1.5"	76.2x1.6	38.1x1.6	81.0
1305000-300200	3.0"x2.0"	76.2x1.6	50.8x1.6	55.0
1305000-300250	3.0"x2.5"	76.2x1.6	63.5x1.6	41.0
1305000-400100	4.0"x1.0"	101.6x2.0	25.4x1.6	159.0
1305000-400150	4.0"x1.5"	101.6x2.0	38.1x1.6	134.0
1305000-400200	4.0"x2.0"	101.6x2.0	50.8x1.6	106.0
1305000-400250	4.0"x2.5"	101.6x2.0	63.5x1.6	76.0
1305000-400300	4.0"x3.0"	101.6x2.0	76.2x1.6	53.0



Automatic Tube Weld: Eccentric reducer

No.	Size	AxT1	DxT2	L
1305100-075050	0.75"x0.5"	19.1x1.6	12.7x1.6	21.5
1305100-100050	1.0"x0.5"	25.4x1.6	12.7x1.6	22.9
1305100-100075	1.0"x0.75"	25.4x1.6	19.1x1.6	26.8
1305100-150100	1.5"x1.0"	38.1x1.6	25.4x1.6	35.0
1305100-200100	2.0"x1.0"	50.8x1.6	25.4x1.6	54.0
1305100-200150	2.0"x1.5"	50.8x1.6	38.1x1.6	36.0
1305100-050025	2.5"x1.0"	63.5x1.6	25.4x1.6	76.0
1305100-250150	2.5"x1.5"	63.5x1.6	38.1x1.6	66.0
1305100-250200	2.5"x2.0"	63.5x1.6	50.4x1.6	35.0
1305100-300100	3.0"x1.0"	76.2x1.6	25.4x1.6	112.0
1305100-300150	3.0"x1.5"	76.2x1.6	38.1x1.6	78.0
1305100-300200	3.0"x2.0"	76.2x1.6	50.8x1.6	66.0
1305100-300250	3.0"x2.5"	76.2x1.6	63.5x1.6	44.0
1305100-400100	4.0"x1.0"	101.6x2.0	25.4x1.6	155.0
1305100-400150	4.0"x1.5"	101.6x2.0	38.1x1.6	122.0
1305100-400200	4.0"x2.0"	101.6x2.0	50.8x1.6	97.0
1305100-400250	4.0"x2.5"	101.6x2.0	63.5x1.6	73.0
1305100-400300	4.0"x3.0"	101.6x2.0	76.2x1.6	77.0

